

ENTBN-M-C

六角锁紧螺母
Locknut

+200°C +392°F
-60°C -76°F



材料:铜镀镍, 铜刷式
Material: Brass nickel-plated with copper contact brush



- 集成了可用于EMC电磁屏蔽铜刷的六角锁紧螺母
 - 产品端部带尖刺, 在锁紧螺母的时候可划破安装箱体表面的绝缘层或喷漆从而确保足够的接触。
 - 同样适用于FIPSHIELD® 塑料螺纹接头
- metric hexagon lock nut with integrated EMC shield contact
 - ensures the necessary electrical contact even if the metal surface has an insulating anodized, painted or powder-coated layer
 - suitable with FIPSHIELD® plastic thread fittings



产品号 Part No. ¹⁾	螺纹尺寸 G Thread size G	尺寸 (nom.) Dimensions in mm (nom.) ³⁾						重量 Weight per piece	包装单元 PU
		L	Ø ID	SW	A	B	C		
ENTBN-M12-C	M12x1,5	10,0	min 4,0	24	27,7	16,3	11,3	23,5	10
ENTBN-M16-C	M16x1,5	10,0	min 4,0	24	27,7	16,3	11,3	23,5	10
ENTBN-M20-C	M20x1,5	10,0	min 4,0	24	27,7	16,3	11,3	23,5	10
ENTBN-M25-C	M25x1,5	10,0	min 5,0	30	34,6	16,3	10,3	29,7	10
ENTBN-M32-C	M32x1,5	12,0	min 6,0	39	45,0	18,5	12,5	38,0	6
ENTBN-M40-C	M40x1,5	12,0	min 10,0	47	54,2	18,5	11,5	46,7	6
ENTBN-M50-C	M50x1,5	12,0	min 12,0	56	64,6	18,7	11,7	55,8	4
ENTBN-M63-C	M63x1,5	12,0	min 16,0	66	76,2	21,0	14,0	65,8	4



您可以通过以下地址查询更多的技术信息 / You can find more technical information here

CADENAS – 产品CAD数据目录 / eCATALOG solutions electronic CAD catalog: <https://fraenkische-ip.partcommunity.com>

¹⁾ FIPSHIELD® 屏蔽产品编码规则 / Part numbering key for FIPSHIELD® shielding solutions: www.fraenkische-ip.com/fipshield-part-no



ENTBN-M-C 产品性能 / Product performances

应用性能 <i>Application performances</i>	特性 <i>Characteristics</i>	单位 <i>Unit</i>	规范标准 <i>Standards, specifications</i>	备注 <i>Remark</i>
温度范围 / <i>Temperature range</i>	-60 到 / <i>to</i> +200 -76 到 / <i>to</i> +392	°C °F	IS FIP	

测试条件参照EN ISO 139温度23°C, 湿度 / 50% (如未注明测试条件)。IS FIP = FIP内部测试规范
Tests carried out acc. EN ISO 139 at 23°C / 50% r. h. (if not indicated different). IS FIP = Internal Specification FIP

我们尽我们的知识水平所提供的数据, 图像和技术规格图反映了当前的工程技术水平。这不对最后应用有关的任何责任。产品用户需根据应用进行自己的评估, 以确定产品是否符合特殊的应用条件。我们对产品的责任只考虑一般规定条件下的水平。FIP保留对产品数据和数值进行技术调整的权力。例如更改材料和加工工艺, 在保证产品性能数值不下降的情况下不会另行通知。

The provided data, images and technical specification drawings reflect the current engineering level and are to the best of our knowledge. This does not include any liability regarding the final application. Users of the products have to make their own evaluation to determine the suitability for a specific application. Our liability for these products considers the stated level within our General Conditions only. FRAENKISCHE Industrial Pipes (FIP) reserves the right to adjust specified data and values as well as implementing technical adjustments of the products e. g. change of materials and processing technologies without prior notice as long as the specified values are not reduced.